

Crib Gogh: Blade Soldier System

Part Number: 1220

Product Description:

- **Fabric Specifications:**

- 1000D PU backed Polyester
- Available in Black, OD, Coyote and Multi-Cam
- All CG fabrics are 'REACH' Compliant and come with full certification.

- **Technical Specifications:**

- BS 13407:1999 - Human-centred design processes for interactive systems
- ISO 105 B02: 2000 amdt 2.2000 – Tests for Colour Fastness
- ISO 13934-1-1999 Tensile testing standard determining fabric strength
- ISO 13937-2000 Textiles - Tear properties of fabrics -- Part 1: Determination of tear force using ballistic pendulum method (Elmendorf)
- ISO 811-1981 - Textile fabrics -- Determination of resistance to water penetration -- Hydrostatic pressure test
- FMVSS 302 title 49 section 571.302 – Flammability of interior materials (Phosphorous test)
- BS 5131, part 11: 1981 (1992) Buckle Strength (derived from foot wear as no vest standard existed)
- ISO 2062: 2009 - Textiles -- Yarns from packages -- Determination of single-end breaking force and elongation at break using constant rate of extension (CRE) tester.
- BS 3084: 2006 performance code c – Slide Fasteners
- STANAG 2895 Extreme climatic conditions and derived conditions for use in defining design/test criteria for NATO forces materiel. Operational zones from -40° to +50°
- EU Regulation 1907/2006 REACH - 138 substances in candidate list.
- BS 5131, Part 11 : 1981 (1992) Tear Strength of straps (derived from foot wear as no vest standard existed)



- Unique weight distribution system developed with the royal college of physicians offering unprecedented comfort
- All Crib Gogh designs enhance the end user experience and the Blade Jumpable plate carrier offers best in class for comfort and cooling
- To date the only JPC Tested and Certified to meet a NATO standard STANAG 2895 proving it performs from -40° to +50°. A truly Global Solution
- The Only JPC that meets the 2312 Soldier Architecture once it scales up to a full fighting order

Product Description: Blade Soldier System



Offering a unique patented buckle system that allows this jumpable plate carrier to scale up to a full fighting order once the end user has hit their landing zone. No other jumpable soldier system offers this capability at this time, Blade offers a significant increase in survivability over other vests with the trauma mitigation designed and integrated into the weight distribution system we developed with the Royal College of Physicians.

- Two side panel options for fast insertion or a higher level of protection
- Best in class for cooling and venting, offering a reduction in the thermal and cognitive burdens especially when worn with the snatch sides
- When offered with our Maritime Armour Maverick can be used in Maritime Interdiction operations
- No Hook or Loop failures or associated issues as the system is completely Velcro Free
- Unprecedented scalability through our unique patented buckle system

Compatible with:

- Yoke
- Load vest
- Rogue Bergen
- Tactical Assault Pack range
- Grab Bag
- Hydro Pack small
- Hydro pack patrol

Size	Dimensions			Weight	NSN
	Chest	Waist	Area Mass M ²		
XS	36-40 in (91.4-101.6 cm)	28-32 in (71.1-81.3 cm)	0.240	0.95KG	8470996702625
S	40-44 in (101.6-111.8 cm)	32-34 in (81.3-86.4 cm)	0.254	1.01KG	8470992171247
M	44-48 in (111.8-121.9 cm)	34-38 in (86.4-96.5 cm)	0.268	1.09KG	8470992171249
L	48-52 in (121.9-132.1 cm)	38-42 in (96.5-106.7 cm)	0.282	1.17KG	8470993822747
XL	52-56 in (132.1-142.2 cm)	42-46 in (106.7- 116.8cm)	0.296	1.25KG	8470994132388



Contact Details:

**Frayling Business Park,
Davenport Street Burslem,
Stoke-on-Trent Staffordshire ST6 4LN
United Kingdom**

info@cribgogh.com
+44(0)1782435999