

Technical Specifications for The V-2-SR Tactical Sit Harness Part of The Vertical Assault and MI-Ops Capabilities

Crib Gogh CLQF: 1242-AS Written By: S.R. Heaward Version: 1.02 Date: 24th August 2020

Part Number: CLQF: 1242-AS Size: One Size Only
NSN 4240993641804

These units are all tested to British Standard Kite marks, EU Kite marks and ISO requirements where available;

The V-2-SR (Operators) sit harness has been designed for military use & was designed in conjunction with the Crib Gogh Ascent and VAULT soldier systems for aviation and Maritime Interdiction Operations (MI-Ops). The standard model harness is the first harness to pass and conform to a new defence material standard for helicopter use.

The V-2-SR harness has been designed with operational need, quality and strength in mind. It is designed to work with the Ascent and Vault Soldier systems and for all MI-Ops needs. It is also compatible for deep water and littoral operations as well as oil safe recoveries. It is drop tested with a number of LPU's and meets the future HSE PPE compatibility protocols

The V-2-SR harness has a wraparound fitting system for ease of donning and safety which stops the harness from becoming soiled, as is common with many step in type harnesses. It makes cleaning, maintaining and inspection easier after use in salt water conditions. With two laser cut 2000D Cordura MOLLE/PALS sections on the padded area of the waist for attaching a fighting order. POM magazines and POM holsters are available to meet most MI-Ops requirements. Front gear loops complete the set up.

The harness has two and three bar buckles fitted on the leg loops, and waist. The harness is rated for a 150Kg load, making it suitable if the end user may require to carry large amounts of kit. We offer a full suite of operational waterproof pouches designed for both surface combat swims and for the submerged approach to your asset

Complies with BS 13407-1999

The system is completely unique, with design copy right. It consists of the following features:

- Fully adjustable waist and legs
- Wrap around or step in fitting
- Well-established, easy interlocking buckling system
- Laminated, high quality, sandwiched closed cell foam padding
- High grade quality polyester webbing, with hidden locking stitch
- Gear loops 2 at the front
- 1 front double thickness 18mm belay loop 30Kn
- 1 back double thickness 18mm belay loop 30Kn conforming to EN358

- Standard Waist Size: 74cm to 115cm
- Standard Leg/Thigh Size: 44cm to 85cm
- Rated for: 150kg kit loading
- Weight for Standard Harness: 850g
- V-2-SR sit harness - Conforms to BSEN 358/12277 and BSEN 813. It also meets EN361:2002 and EN12277-D:2015 when used with Vault or Ascent




Image 1 V-2-SR Swim rig



Image 2 V-2-SR Swim rig with a full MI-Ops fighting order and waterproof pouches

Part Number: CLQF: 1242-AS

Size: One Size Only

EAN: 5060825230407

NSN 4240993641804

Contact details:

Frayling Business Park
Davenport Street
Burslem
Stoke-on-Trent
Staffordshire
ST6 4LN
United Kingdom

info@cribgogh.com

Office +44(0)1782435999

**Crib Gogh Ltd is a BSI ISO 9001:2015 registered company:
Where the Ultimate Comes as Standard**



**WHERE THE ULTIMATE EQUIPMENT
COMES AS STANDARD**