

Technical Specifications for The V-2-SR Quick Out Tactical Sit Harness Part of The Vertical Assault and MI-Ops Capabilities

Crib Gogh CLQF: 1243

Written By: S.R. Heaward Version: 1.02

Date: 24th August 2020

Part Number: CLQF: 1243-AS

Size: One Size Only

NSN 4240992873309

These units are all tested to British Standard Kite marks, EU Kite marks and ISO requirements where available;

The V-2-SR quick out (Operators) sit harness has been designed for military use & was designed in conjunction with the Crib Gogh Ascent and VAULT soldier systems for aviation and Maritime Interdiction Operations (MI-Ops). The quick out model harness is the first harness to pass and conform to a new defence material standard for helicopter use.

The V-2-SR quick out harness has been designed with operational need, quality and strength in mind. It is designed to work with the Ascent and Vault Soldier systems and for all MI-Ops needs. It is also compatible for deep water and littoral operations as well as oil safe recoveries. It is drop tested with a number of LPU's and meets the future HSE PPE compatibility protocols. It is fitted with Cobra quick out buckles all round and all are salt water compliant

The V-2-SR quick out harness has a wraparound fitting system for ease of donning and safety which stops the harness from becoming soiled, as is common with many step in type harnesses. It makes cleaning, maintaining and inspection easier after use in salt water conditions. With two laser cut 2000D Cordura MOLLE/PALS sections on the padded area of the waist for attaching a fighting order. POM magazines and POM holsters are available to meet most MI-Ops requirements. Front gear loops complete the set up.

The harness has quick clip buckles fitted on the leg loops, and waist. The harness is rated for a 150Kg load, making it suitable if the end user may require to carry large amounts of kit. It is compliant with our MI-Ops waterproof pouches that are designed for a combat surface swim or a submerged approach to the asset.

Complies with BS 13407-1999

The system is completely unique, with design copy right. It consists of the following features:

- Fully adjustable waist and legs
- Wrap around or step in fitting
- Well-established, easy quick in and quick out buckling system
- Laminated, high quality, sandwiched closed cell foam padding
- High grade quality polyester webbing, with hidden locking stitch
- Gear loops 2 at the front
- 1 front double thickness 18mm belay loop 30Kn
- 1 back double thickness 18mm belay loop 30Kn conforming to EN358

- Standard Waist Size: 74cm to 115cm
- Standard Leg/Thigh Size: 44cm to 85cm
- Rated for: 150kg kit loading
- Weight for Standard Harness: 945g
- V-2-SR quick out sit harness - Conforms to EN361:2002 and EN12277-D:2015 when used with Vault or Ascent BSEN 358 and BSEN 813



Image 1 V-2-SRQO sit harness



Image 2 V-2-SRQO sit harness with a full MI-Ops fighting order with our waterproof pouches

Part Number: CLQF: 1243-AS

Size: One Size Only

EAN: 5060825230414

NSN 4240992873309

Contact details:

Frayling Business Park
Davenport Street
Burslem
Stoke-on-Trent
Staffordshire
ST6 4LN
United Kingdom

info@cribgogh.com

Office +44(0)1782435999

**Crib Gogh Ltd is a BSI ISO 9001:2015 registered company:
Where the Ultimate Comes as Standard**



**WHERE THE ULTIMATE EQUIPMENT
COMES AS STANDARD**